


# Product data sheet

Specifications



Merten HD, Mom./  
maint. cont. swit. insrt f. roller shut.s  
f. cyl. locks, 2-pole, alum.

MTN318760

⚠ Discontinued on: Dec 15, 2023

⚠ Discontinued

## Main

Range	Merten
Product Name	Merten inserts
Product Or Component Type	Shutter control
Device Presentation	Complete product
Colour Tint	Grey

## Complementary

Device Mounting	Flush
Fixing Mode	By screws and claws
Actuator	Key
Technology Type	Electromechanical
Control Type	Switch
Switch Function	2-pole
[Ue] Rated Operational Voltage	250 V
Network Type	AC
Network Frequency	50/60 Hz
Rated Current	10 A
Material	Metal
Ip Degree Of Protection	IP20

## Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	6.6 cm
Package 1 Width	8.7 cm
Package 1 Length	8.9 cm
Package 1 Weight	216.0 g
Unit Type Of Package 2	S03
Number Of Units In Package 2	32
Package 2 Height	30.0 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Width	30.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	7.399 kg

## Contractual warranty

Warranty	18 months
----------	-----------

# Sustainability

**Green Premium™ label** is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product’s sustainability >](#)



## Transparency

Eu Rohs Directive	Under investigation
Environmental Disclosure	<a href="#">Product Environmental Profile</a>
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	No need of specific recycling operations