Product data sheet

Specifications

Cover frame, Merten D-Life, 2 gangs, sahara

MTN4020-6533

Main

Range	Merten
Aesthetic Name	D-Life
Product Or Component Type	Cover frame

Complementary

Number Of Gangs	2 gangs
Colour Tint	Sahara
Surface Finish	Matt
Surface Treatment	Varnished
Material	ABS (acrylonitrile butadiene-styrene)
Ip Degree Of Protection	IP20
Height	84 mm
Width	161.4 mm
Depth	12 mm

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	1.500 cm
Package 1 Width	8.700 cm
Package 1 Length	16.300 cm
Package 1 Weight	28.000 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	2
Package 2 Height	2.800 cm
Package 2 Width	9.200 cm
Package 2 Length	16.800 cm
Package 2 Weight	76.000 g
Unit Type Of Package 3	CAR
Number Of Units In Package 3	96
Package 3 Height	20.500 cm

Package 3 Width	30.300 cm
Package 3 Length	41.500 cm
Package 3 Weight	4.066 kg

Life Is On | Schneider Electric

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Transparency   RoHS/REACh

Well-being performance

✓ Reach Free Of Svhc

✓ Toxic Heavy Metal Free

✓ Mercury Free

✓ Rohs Exemption Information   Yes

Certifications & Standards

Reach Regulation   REACh Declaration

Eu Rohs Directive   Pro-active compliance (Product out of EU RoHS legal scope)

                                        EU RoHS Declaration

China Rohs Regulation   China RoHS declaration

                                        Pro-active China RoHS declaration (out of China RoHS legal scope)

Environmental Disclosure   Product Environmental Profile

Circularity Profile   No need of specific recycling operations