

# Inclined outlet, polar white, glossy, System M

MTN464919

! Discontinued on: Jun 30, 2023

(!) Discontinued

#### Main

Range	Merten	
	WOTCH	
Aesthetic Name	M-Plan	
	System M	
	M-Arc	
	M-Plan glass	
	M-Smart	
	M-Elegance	
	M-Star	
Product Or Component Type	Central plate	
Product Destination	Inclined outlet	
Device Presentation	Cover plate with fixing frame	
Socket Additional Information	With ring support	
Colour Tint	Polar white (RAL 9010)	

## Complementary

Device Mounting	Flush
Fixing Mode	By screw
Material	Polycarhonate glossy

## **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	5.3 cm
Package 1 Width	7.6 cm
Package 1 Length	7.6 cm
Package 1 Weight	52.0 g
Unit Type Of Package 2	CAR
Number Of Units In Package 2	50
Package 2 Height	18.5 cm
Package 2 Width	30.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	3.01 kg

### **Contractual warranty**

Warranty

18 months

#### Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

### Well-being performance

Toxic Heavy Metal Free



Mercury Free



Rohs Exemption Information

Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration  Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	No need of specific recycling operations