



set of 25 Spacial SF/SM blanking cover - for cut out cover plate

NSYATP72M

Main

Range	Spacial	
Accessory / Separate Part Category	Enclosure accessory	
Product Or Component Type	Blanking cover	
Range Compatibility	Spacial Spacial SF Spacial Spacial SM	
Application	Multi-purpose	
Mounting Location	On cover plates with cut-out	
Device Composition	strip of 4 modules	

Complementary

Quantity Per Set	Set of 25
Material	Plastic
Colour	Grey (RAL 7035)
Fixing Mode	Clipped
Length	72 mm

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	1.000 cm
Package 1 Width	5.000 cm
Package 1 Length	7.000 cm
Package 1 Weight	6.000 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	25
Package 2 Height	7.500 cm
Package 2 Width	8.500 cm
Package 2 Length	13.500 cm
Package 2 Weight	194.000 g
Unit Type Of Package 3	S03
Number Of Units In Package 3	100
Package 3 Height	30 cm

Package 3 Width	30 cm
Package 3 Length	40 cm
Package 3 Weight	976.000 g

Contractual warranty

Warranty 18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

⊘	Reach Free Of Svhc	
⊘	Toxic Heavy Metal Free	
⊘	Mercury Free	
⊘	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations