Specifications



2 hor. busbar sup. In 3200A 10 mm bars. Bars distance 115mm. For 800mm widths

NSYBHS800L

Main

Range	Spacial
Accessory / Separate Part Category	Busbar accessory
Product Or Component Type	Busbar support
Anwendung	Multi-purpose Prisma application
Enclosure Nominal Dimensions	-
Mounting Location	On structure of enclosure
Mounting Support	Vertical uprights
Busbar Position	Horizontal
Range Compatibility	Linergy Linergy BS Spacial Spacial SFP

Complementary

Cubicle-Device Connection	Linergy BS horizontal busbar - fixed
Device Composition	fixing elements
	1 metal support
	2 insulating bar support
Quantity Per Set	Set of 1
Material	Bar support: plastic
	Metal support: steel
Fixing Mode	By fixing element
Height	59.25 mm
Width	710 mm fixing centers:
Depth	39 mm
[In] Rated Current	3200 A

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	6.5 cm
Package 1 Width	12.0 cm
Package 1 Length	71.5 cm
Package 1 Weight	2.492 kg
Unit Type Of Package 2	РАМ

Number Of Units In Package 2	50
Package 2 Height	50.0 cm
Package 2 Width	100.0 cm
Package 2 Length	120.0 cm
Package 2 Weight	135.0 kg

Contractual warranty

Warranty

18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

Well-being performance



Eq

Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations