

Fine filter G3 for outlet grille or fan cut-out 291x29mm1 ext. dim 336x316mm

NSYCAF291T

Main

Range	ClimaSys
Product Name	ClimaSys CA
Product Or Component Type	Filter
Range Compatibility	ClimaSys ClimaSys CV Prisma Prisma P Prisma Prisma G
Accessory / Separate Part	Thermal management accessory

Complementary

Mounting Location	Between enclosure and outlet grille
Accessory / Separate Part Destination	Outlet grille 336 x 316 mm
Quantity Per Set	Set of 5
Material	Synthetic material
Suitable For	291 x 291 mm cut-out
Width	280 mm cut-out:
Height	280 mm cut-out:
Thickness	8 mm

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	1.5 cm
Package 1 Width	28 cm
Package 1 Length	28 cm
Package 1 Weight	21 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	5
Package 2 Height	9 cm
Package 2 Width	30 cm
Package 2 Length	32 cm
Package 2 Weight	108 g
Unit Type Of Package 3	PAL

Number Of Units In Package 3	75
Package 3 Height	40.5 cm
Package 3 Width	40 cm
Package 3 Length	60 cm
Package 3 Weight	2.5 kg

Contractual warranty

Warranty 18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Mercury Free



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations