

# ClimaSys Exchanger air-water 10000W sides of enclosure

NSYCEW10K

- Discontinued on: Dec 31, 2020
- ! End-of-service on: Mar 19, 2021

#### ① Discontinued

#### Main

Range	ClimaSys	
Product Name	ClimaSys CE	
Product Or Component Type	Air-water exchanger	
Mounting Type	Sides of enclosure	
Cooling Power	10000 W	

# Complementary

Pressure	8 bar for water
Pressure Drop	3.5 bar
Water Flow	Internal circuit: 2000 I/h
Flow Rate	External circuit: 2420 m3/h
Control Type	Thermostat
Temperature Setting Range	2046 °C
Ambient Air Temperature For Operation	170 °C outside the enclosure: 2060 °C inside the enclosure:
Controlled Fluid	Water
Fluid Connection Type	G 3/4 (female)
Input Voltage	230 V 50/60 Hz
[In] Rated Current	1.2 A
Power Consumption In W	260 W
Height	1932 mm external:
Width	797 mm external:
Depth	206 mm external:
Net Weight	90 kg
Noise Level	70 dB conforming to EN/ISO 3746
Protection Type	Thermal protection: T 2 A
Material	Steel
Colour	Grey (RAL 7035)

#### **Environment**

Ip Degree Of Protection	IP55 conforming to IEC 60529 (on the internal circuit) IP55 conforming to IEC 60529 (on the external circuit)	
Product Certifications	CE	
Directives	2004/108/EC - electromagnetic compatibility 2006/42/EC - machinery 2006/95/EC - low voltage directive	
Standards	EN/ISO 12100 EN 60335-1 EN 60335-2-40 EN 60204-1	

# **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	193.2 cm
Package 1 Width	20.6 cm
Package 1 Length	79.7 cm
Package 1 Weight	90 ka

### Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

## Well-being performance

Reach Free Of Svhc	
Toxic Heavy Metal Free	
Mercury Free	
Rohs Exemption Information	Yes
Eu Rohs Directive	Compliant
	EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
	Pro-active China RoHS declaration (out of China RoHS legal scope)
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins