

Cable guide crossrails for framework, PanelSeT SFN, Spacial SF, Spacial SM, for electrical enclosure W600mm, set of 2

NSYCFS126

Main

Range	Spacial
Category	Cabling accessory
Product Or Component Type	Support
Application	Multi-purpose
Nominal Dimensions Of The Housing	- W: 600 mm

Complementary

•	
Mounting Location	On structure of enclosure
Range Compatibility	Spacial Spacial SF Spacial Spacial SM Spacial Spacial SFX Spacial Spacial SMX
Device Composition	fixing elements 2 rail
Quantity Per Set	Set of 1
Material	Steel
Surface Finish	Galvanized
Support Angle	120 °
Adjustment	Adjustable in every 25 mm
Fixing Center	550 mm
Height	20 mm
Width	600 mm nominal:

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2.0 cm
Package 1 Width	9.0 cm
Package 1 Length	66.0 cm
Package 1 Weight	708.0 g
Unit Type Of Package 2	PAL
Number Of Units In Package 2	30
Package 2 Height	29.0 cm

Package 2 Width	37.5 cm
Package 2 Length	120.0 cm
Package 2 Weight	21 24 kg

Contractual warranty

Warranty 18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

✓ Reach Free Of Svhc
 ✓ Toxic Heavy Metal Free
 ✓ Mercury Free
 ✓ Rohs Exemption Information

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations