Specifications



# Set of cable gland + nut M32 for ATEX application, IP68, UL approved

NSYCGEX32

() Discontinued on: Aug 20, 2020

#### (!) Discontinued

#### Main

Range	Spacial
Product Or Component Type	Cable gland
Accessory / Separate Part Category	Cable management accessory
Anwendung	ATEX certified application
Range Compatibility	Spacial Spacial CRN Spacial Spacial S3D Spacial Spacial S3X
Mounting Location	Enclosure bottom Enclosure top
Cable Entry	Cable gland M32
Device Composition	1 cable gland 1 lock nut 1 seal
Quantity Per Set	Set of 4
Material	Body: nickel plated brass Seal: CR (chloroprene)

#### Complementary

Colour	Grey
Surface Finish	Chromium plated
Fixing Mode	Screwed By nut
Height	42 mm
Net Weight	0.117 kg

### Environment

Product Certifications	DNV-GL UL ATEX INMETRO EAC
Marking	Ex e IIC Gb Ex tb IIIC Db Ex II 2GD Ex d IIC Gb
Ambient Air Temperature For Operation	-4080 °C
Ip Degree Of Protection	IP68 conforming to IEC 60529 5 bar, 30 min

### **Sustainability**

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

## Well-being performance

Reach Free Of Svhc	
V Toxic Heavy Metal Free	
Mercury Free	
Rohs Exemption Information	Yes
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)