Disclaimer. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications



MiniLog temp DTMiniLog

NSYDTEFSMT

① Discontinued

Main

Range	ClimaSys	
Product Name	ClimaSys DT	
Product Or Component Type	USB single use data logger	
Device Short Name	DTMiniLog	
Type Of Measurement	Temperature, range: - 4080 °C	
Accuracy	Temperature: +/- 0.5 °C	
Resolution	0.1 °C	
Data Recording	16000 samples	

Complementary

	•	
Range Compatibility	Thalassa	
range companions	Spacial	
	ClimaSys	
Display Type	Without display	
Local Signalling	g Green/red LED indicator	
Type Of Alarme	Temperature	
Battery Type	1 lithium battery 3 V size: CR2032	
Battery Life	6 month(s) (depending on sampling rate and operating conditions)	
Sampling Rate	Maximum: once every 18 hours	
	Minimum: once every minute	
	For maximum durability: once every 30 minutes	
Connector Type	USB	
Software Name	EffiClima	
Software Function	Function Monitoring and setup data logger	
Function Available	Firmware update by USB	
Control Button Type	Start/stop	
	Push-button	
Fixing Mode	Cable tie	
Mounting Location	Outside the enclosure	
	Outdoor	
	On enclosure	
Height	74 mm	
Width	30 mm	
Depth	13 mm	

Net Weight	15 g
Colour	White

Environment

Ambient Air Temperature For Operation	-4080 °C
Ip Degree Of Protection	IP68 conforming to IEC 60529
Standards	EN 12830
Product Certifications	CE

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



RoHS/REACh

Well-being performance

	Reach Free Of Svhc	
Ø	Mercury Free	
②	Rohs Exemption Information	Yes

Certifications & Standards

Eu Rohs Directive	Compliant
	EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins