

Two entries cable gland plate, PanelSeT SFN, Spacial SF, for electrical enclosure W800 D600mm, fixed by clips

NSYEC862

Main

Range	Spacial
Product Or Component Type	Cable gland plate
Accessory / Separate Part Category	Cable management accessory
Application	Electronic application Multi-purpose
Range Compatibility	Spacial Spacial SF Spacial Spacial SFM
Mounting Location	Enclosure bottom
Cable Gland Type	Standard
Cable Entry	2 entries
Device Composition	fixing elements 1 plate polyurethane adhesive gasket with cross-section of 15 x 25 mm
Quantity Per Set	Set of 1
Material	Galvanised steel

Complementary

Height	30 mm
Width	800 mm nominal: 616 mm useful:
Depth	600 mm nominal: 620 mm real:
Thickness	1.5 mm

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2.54 cm
Package 1 Width	24.13 cm
Package 1 Length	64.77 cm
Package 1 Weight	4.082 kg
Unit Type Of Package 2	PAM
Number Of Units In Package 2	60
Package 2 Height	105 cm

Package 2 Width	100 cm	
Package 2 Length	120 cm	
Package 2 Weight	274.5 ka	

Contractual warranty

Warranty 18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Mercury Free



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations