

# Product data sheet

Specifications



## Polyester insulating mounting plate for PLA enclosure H750xW1000mm

NSYPMA710

 **Discontinued on:** Jun 30, 2023

 **Discontinued**

### Main

|                                    |                            |
|------------------------------------|----------------------------|
| Range                              | Thalassa                   |
| Accessory / Separate Part Category | Mounting accessory         |
| Product Or Component Type          | Mounting plate             |
| Device Application                 | Multi-purpose              |
| Enclosure Nominal Dimensions       | -                          |
| Mounting Location                  | Back inserts<br>Step slide |
| Mounting Plate Description         | Insulating                 |
| Range Compatibility                | Thalassa Thalassa PLA      |
| Device Composition                 | 1 mounting plate           |
| Material                           | Polyester                  |
| Colour                             | Grey (RAL 7035)            |

### Complementary

|                            |  |
|----------------------------|--|
| Fixing Mode                | By screws - screw type M8 - on back inserts location |
| Permanent Permissible Load | 150 kg   |
| Height                     | 750 mm nominal:<br>640 mm real:                      |
| Width                      | 1000 mm nominal:<br>875 mm real:                     |
| Depth                      | 125 mm real:   |
| Thickness                  | 5 mm   |

### Packing Units

|                              |          |
|------------------------------|----------|
| Unit Type Of Package 1       | PCE      |
| Number Of Units In Package 1 | 1        |
| Package 1 Height             | 0.5 cm   |
| Package 1 Width              | 63.0 cm  |
| Package 1 Length             | 87.5 cm  |
| Package 1 Weight             | 4.703 kg |

### Contractual warranty

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Warranty

18 months

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)

## Well-being performance

|   |                            |   |
|---|----------------------------|---|
|  | Reach Free Of Svhc         |   |
|  | Toxic Heavy Metal Free     |   |
|  | Mercury Free               |   |
|  | Rohs Exemption Information | Yes   |
|   |                            |   |
| Reach Regulation  |                            | <a href="#">REACH Declaration</a>   |
|   |                            |   |
| Eu Rohs Directive   |                            | Pro-active compliance (Product out of EU RoHS legal scope)<br><a href="#">EU RoHS Declaration</a>           |
|   |                            |   |
| China Rohs Regulation   |                            | <a href="#">China RoHS declaration</a><br>Pro-active China RoHS declaration (out of China RoHS legal scope) |