Specifications

Door cable guides cross rail, PanelSeT SFN, Spacial SF, Spacial SM, W800mm

NSYSDGCR8

Main

Range	Spacial
Product Or Component Type	Door cable-guide cross rail
Application	Multi-purpose
Nominal Dimensions Of The Housing	-
Mounting Location	On door reinforcement frame
Range Compatibility	Spacial SF, SM, SFX and SMX enclosures
Device Composition	Fixing elements 2 x cross rails
Quantity Per Set	Set of 1

Complementary

Material	Steel
Surface Finish	Galvanized
Adjustment	Adjustable in height every 25 mm for on door reinforcement frame
Height	30 mm
Width	800 mm nominal: 650 mm fixing centers:
Depth	13 mm

Packing Units

-	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.5 cm
Package 1 Width	4.5 cm
Package 1 Length	68.5 cm
Package 1 Weight	780.0 g
Unit Type Of Package 2	PAL
Number Of Units In Package 2	50
Package 2 Height	29.0 cm
Package 2 Width	37.5 cm
Package 2 Length	120.0 cm
Package 2 Weight	39.0 kg

Contractual warranty

Warranty

18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Fa

Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc

Toxic Heavy Metal Free	
Mercury Free	
Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations