Product data sheet

Specifications



Serrated quarter-turn sliding nut - M8. Supply: 10 units

NSYSNSM8

Main

Range	Spacial
Accessory / Separate Part Category	Fixing accessory
Product Or Component Type	Nut
Anwendung	Multi-purpose

Complementary

Range Compatibility	Thalassa Thalassa PLA Spacial Spacial SM Spacial Spacial SF	
Quantity Per Set	Set of 10	
Thread Type	M8	

Packing Units

U	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.5 cm
Package 1 Width	10.0 cm
Package 1 Length	12.0 cm
Package 1 Weight	39.0 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	10
Package 2 Height	3.5 cm
Package 2 Width	10 cm
Package 2 Length	12 cm
Package 2 Weight	398 g
Unit Type Of Package 3	CAR
Number Of Units In Package 3	160
Package 3 Height	20.0 cm
Package 3 Width	20.0 cm
Package 3 Length	30.0 cm
Package 3 Weight	6.4 kg

Contractual warranty

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Warranty

18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Eq

Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc
Toxic Heavy Metal Free

Mercury Free

Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations