Product data sheet

Specifications



() Discontinued

Spacial SF/SM universal cross rails - 90 mm

NSYSUCR9090

() Discontinued on: Sep 30, 2023

Main		
Range	Spacial	
Accessory / Separate Part Category	Mounting accessory	
Product Or Component Type	Universal cross rail	
Application	Multi-purpose	
Nominal Dimensions Of The Housing	- H: 900 mm	

Complementary

Range Compatibility	Spacial Spacial SF Spacial Spacial SM Spacial Spacial SFX Spacial Spacial SMX
Mounting Location	Between cross rails
Mounting Support	Adaptation profile, on SM enclosures
Device Composition	fixing elements 2 cross rails 4 supports
Quantity Per Set	Set of 1
Material	Steel
Surface Finish	Galvanized
Fixing Mode	By screws
Adjustment	Adjustable with a pitch of 25 mm
Number Of Horizontal Rows	3
Maximum Load	100 kg
Height	900 mm nominal: 807 mm useful:
Width	90 mm
Depth	27 mm
Thickness	1.5 mm

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	82.0 cm

Package 1 Width	9.5 cm
Package 1 Length	6.0 cm
Package 1 Weight	2.95 kg

Contractual warranty

Warranty

18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc

Toxic Heavy Metal Free

Mercury Free

Eq

Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations