

Plug-in bridge, Linergy TR, 2 points, for 4mm² terminal blocks, 2 way, red, set of 10

NSYTRAL42

Main

Range	Linergy
Product Name	Linergy TR
Product Or Component Type	Plug-in bridge
Device Short Name	TRA
Accessory / Separate Part Category	Connection accessory
Product Compatibility	TRV screw terminal terminal block TRP push-in terminal block TRR spring terminal terminal block TRH IDC terminal block
Number Of Ways	2 ways

Complementary

Cable Cross Section	4 mm²
Number Of Connections	4
	3
	2
Number Of Measurement Input	3
	2
	6
	1
	4
Quantity Per Set	Set of 10
Net Weight	2 g
Colour	Red

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	0.300 cm
Package 1 Width	1.200 cm
Package 1 Length	2.400 cm
Package 1 Weight	1.900 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	50
Package 2 Height	5.000 cm
Package 2 Width	15.000 cm

Package 2 Length	17.000 cm
Package 2 Weight	97.000 g
Unit Type Of Package 3	S01
Number Of Units In Package 3	2000
Package 3 Height	15.000 cm
Package 3 Width	15.000 cm
Package 3 Length	40.000 cm
Package 3 Weight	4.078 kg

Contractual warranty

Warranty 18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



RoHS/REACh

Well-being performance

⊘	Reach Free Of Svhc
⊘	Toxic Heavy Metal Free
⊘	Mercury Free
⊘	Rohs Exemption Information Yes
②	Halogen Free Plastic Parts Product

Certifications & Standards

REACh Declaration
Pro-active compliance (Product out of EU RoHS legal scope)
EU RoHS Declaration
China RoHS declaration
Pro-active China RoHS declaration (out of China RoHS legal scope)
No need of specific recycling operations