

# UT connectors 60x80 for C-shaped rails. Supply: 20 units.

NSYUT40

! Discontinued on: Sep 30, 2023

#### ! Discontinued

## Main

Category	Mounting accessory	
Product Or Component Type	Connector	
Range Compatibility	Spacial Spacial CRN Spacial Spacial S3D Spacial Spacial S3CM	
Application	Multi-purpose	
Nominal Dimensions Of The Housing	-	
Mounting Location	Between C40 rails	
Device Composition	1 connector	
Quantity Per Set	Set of 20	
Material	Steel	

## Complementary

Surface Finish	Zinc coated
Fixing Mode	By fixing element
Length	80 mm
Width	60 mm
Thickness	2 mm

# **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	6.0 cm
Package 1 Width	8.0 cm
Package 1 Length	11.8 cm
Package 1 Weight	75.0 g
Unit Type Of Package 2	CAR
Number Of Units In Package 2	20
Package 2 Height	6.0 cm
Package 2 Width	8.0 cm
Package 2 Length	11.8 cm

Package 2 Weight

1.5 kg

## **Contractual warranty**

Warranty

18 months

## Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

### Well-being performance

<b>⊘</b>	Reach Free Of Svhc	
<b>⊘</b>	Toxic Heavy Metal Free	
<b>⊘</b>	Mercury Free	
<b>Ø</b>	Rohs Exemption Information	Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration  Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations