
Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications



Thalassa PHD outdoor heavy duty - ventilated plinth H200 W1250 D620 RAL7035 IP55

NSYZZ2126VHD

Main

Range	Thalassa
Application	Outdoor heavy duty
Accessory / Separate Part Category	Enclosure accessory
Product Or Component Type	Ventilated plinth
Application	Multi-purpose
Nominal Dimensions Of The Housing	
Device Composition	fixing elements
	2 front panel
	2 side part
	1 stainless steel anti-insect filter
Range Compatibility	Thalassa Thalassa PHD

Complementary

Fixing Mode	By screws - on side parts location
Colour	Plinth: grey (RAL 7035)
Height	200 mm
Width	1250 mm
Depth	620 mm

Environment

Ip Degree Of Protection	IP55 conforming to IEC 60529 (completed plinth with grille and filter)
Ik Degree Of Protection	IK10 conforming to IEC 62262

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	9.0 cm
Package 1 Width	46.0 cm
Package 1 Length	129.0 cm
Package 1 Weight	9.95 kg

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Mercury Free



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations