

PratiKa socket - screw - angled - 32A - 2P + E - 100...130 V AC - wall

PKF32W413

Main

Range	PratiKa	
Product Or Component Type	Socket	
Device Short Name	PratiKa socket	
Plug, Socket Category	Low voltage	
Poles Description	2P + E	
Network Type	AC	
Outlet Standard	Industrial	

Complementary

Wall-mounted	
Angled	
32 A	
100130 V	
50/60 Hz	
4 h	
Housing: self-extinguishing engineering polymer	
Sleeves: brass	
Captive screws	
2.510 mm²	
21 mm	
M25	
0.28 kg	
160 mm	
90 mm	
119 mm	
Grey (RAL 7035)	
Yellow	

Environment

Standards	IEC 60309-1 IEC 60309-2
Ip Degree Of Protection	IP44 conforming to IEC 60529

Ik Degree Of Protection	IK08 conforming to EN 62262	
Fire Resistance	750 °C conforming to IEC 60695-2-1	
Relative Humidity	50 % at 40 °C	
	70 % at 30 °C	
	90 % at 20 °C	
Ambient Air Temperature For	35 °C (86400 s)	
Operation	-2540 °C	

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	11.9 cm
Package 1 Width	9.0 cm
Package 1 Length	16.0 cm
Package 1 Weight	553.0 g

Contractual warranty

Warranty 18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



RoHS/REACh

Well-being performance



Mercury Free



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	No need of specific recycling operations