

# Resi9 Transparent door 1x13 Modules

R9H13425

### Main

Range	Resi9
Product Or Component Type	Door
Accessory / Separate Part Category	Enclosure accessory
Range Compatibility	Resi9 enclosure

### Complementary

Type Of Front Cover	Transparent
Number Of Horizontal Rows	1
9 Mm Pitches	26
Number Of 18 Mm Modules Per Row	13
Total Number Of 18 Mm Modules	13
Standards	IEC 61439-3 IEC 60670-1-24 IEC 61439-1
Fire Resistance	750 °C conforming to EN/IEC 60695-2-11
Ip Degree Of Protection	IP40 conforming to EN/IEC 60529
Ik Degree Of Protection	IK08 conforming to IEC 62262 IK08 conforming to EN 50102
Net Weight	400 g
Width	247.5 mm
Height	245.5 mm
Depth	27 mm
Colour Tint	Transparent

#### **Environment**

Ambient Air Temperature For -15...60 °C
Operation

# **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.0 cm
Package 1 Width	25.7 cm
Package 1 Length	25.9 cm

Package 1 Weight	381.0 g
Unit Type Of Package 2	S04
Number Of Units In Package 2	24
Package 2 Height	30.0 cm
Package 2 Width	40.0 cm
Package 2 Length	60.0 cm
Package 2 Weight	9.677 kg

# Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

## Well-being performance



Mercury Free



Rohs Exemption Information

Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration  Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information