

Swith, Miluz, Bossa, 1-way + 2-way, assembled (PS), 10AX 250V, white

S3B62090

Main

Range	Miluz
Aesthetic Name	Bossa
Product Or Component Type	Switch

Complementary

Device Presentation	Complete mechanism
Type Of Packing	Flow-pack
Switch Function	1-way + 2-way switch
Local Signalling	Without pilot light
Marking	1 - L 1 - 2 - L
[In] Rated Current	10 A
[Ue] Rated Operational Voltage	250 V AC
Material	ABS (acrylonitrile butadiene-styrene): wiring device
Number Of Modules	2 modules
Fixing Mode	By screws
Connections - Terminals	Screw-clamp terminals
Cable Cross Section	4 mm²
Awg Gauge	AWG 12
Height	111 mm
Width	73 mm
Depth	36 mm
Embedding Depth	26 mm
Projecting Depth	10 mm

Environment

Standards	ABNT NBR NM 60.669
Product Certifications	NOM/ANCE RETIE

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1

Package 1 Height	4 cm
Package 1 Width	11.5 cm
Package 1 Length	7.7 cm
Package 1 Weight	69 g
Unit Type Of Package 2	CAR
Number Of Units In Package 2	20
Package 2 Height	15.8 cm
Package 2 Width	21.5 cm
Package 2 Length	26.5 cm
Package 2 Weight	1589 g

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

⊘	Reach Free Of Svhc		
⊘	Toxic Heavy Metal Free		
⊘	Mercury Free		
⊘	Rohs Exemption Information	Yes	

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations