


Product data sheet

Specifications



Séquence5 - Door Release Bronze

S800101BM

⚠ Discontinued on: Jul 26, 2021

⚠ End-of-service on: Aug 19, 2021

⚠ Discontinued

Main

Range Of Product	Sequence5
Device Presentation	Complete product
Type Of Packing	Box
Quantity Per Set	Set of 1

Complementary

Device Mounting	Flush
Colour Tint	Bronze
Surface Finish	Glossy
Rated Current	6 A at 250 V AC 50/60 Hz
Protection Type	16 A fuse
Number Of Terminals	2 screwless terminals 1 screw
Shape Of Screw Head	Hexagonal
Clamping Connection Capacity	1 x 1.5...2 x 2.5 mm ² for rigid cable(s)
Wire Stripping Length	13 mm
Light Source	LED
Height	115 mm
Width	80 mm
Depth	48 mm
Embedding Depth	38 mm
Net Weight	0.186 kg

Environment

Ambient Air Temperature For Storage	-5...50 °C
Ambient Air Temperature For Operation	5...35 °C
Product Certifications	NF CE
Ip Degree Of Protection	IP20

Packing Units

Unit Type Of Package 1	PCE
------------------------	-----

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Number Of Units In Package 1	1
Package 1 Height	5 cm
Package 1 Width	10 cm
Package 1 Length	12.5 cm
Package 1 Weight	221 g

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)

Well-being performance



Mercury Free



Rohs Exemption Information

Yes

Eu Rohs Directive

Compliant with Exemptions

China Rohs Regulation

[China RoHS declaration](#)

Product out of China RoHS scope. Substance declaration for your information