Product data sheet

Specifications

Séquence5 - Door Release + Light button Chrome

S800103CV

⚠ **Discontinued on:** Jul 26, 2021

⚠ **End-of-service on:** Aug 19, 2021

⚠ **Discontinued**

Main

Range Of Product	Sequence5
Device Presentation	Complete product
Type Of Packing	Box
Quantity Per Set	Set of 1

Complementary

Device Mounting	Flush
Colour Tint	Chrome
Surface Finish	Glossy
Rated Current	6 A at 250 V AC 50/60 Hz
Protection Type	16 A fuse
Number Of Terminals	1 screw 4 screwless terminals
Shape Of Screw Head	Hexagonal
Clamping Connection Capacity	1 x 1.5...2 x 2.5 mm² for rigid cable(s)
Wire Stripping Length	13 mm
Light Source	LED
Height	115 mm
Width	80 mm
Depth	48 mm
Embedding Depth	38 mm
Net Weight	0.284 kg

Environment

Ambient Air Temperature For Storage	-5…50 °C
Ambient Air Temperature For Operation	5…35 °C
Product Certifications	NF CE
Ip Degree Of Protection	IP20

Packing Units

Unit Type Of Package 1	PCE

Number Of Units In Package 1	1
Package 1 Height	5 cm
Package 1 Width	12 cm
Package 1 Length	18 cm
Package 1 Weight	339 g

Life Is On | Schneider Electric

Sustainability

Green Premium^{TM} label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance

✅ Mercury Free

✅ Rohs Exemption Information   Yes

Eu Rohs Directive   Compliant with Exemptions

China Rohs Regulation   China RoHS declaration

Product out of China RoHS scope. Substance declaration for your information

---