

Product data sheet

Specifications



Sedna - TV-R-SAT intermediate outlet - 4dB without frame graphite

SDN3501470

⚠ Discontinued on: Dec 30, 2023

⚠ Discontinued

Main

Range Name	Sedna
Range	Sedna
Function	TV/SAT/R socket
Device Application	Media device support
Delivery Form	Mechanism with central plate
Tv Socket Type	Intermediate socket (passage)
Device Composition	Support ring
Cover Plate Color	Graphite

Complementary

Tv Connector Type	1 male IEC 9.52 mm
Fm Connector Type	Female IEC 1
Sat Connector Type	1 F type
Number Of Outputs	3
Through Loss	4 dB
Attenuation	4 dB for TV signal for 5...862 MHz frequency 10 dB for R signal for 88...125 MHz frequency 3 dB for SAT signal for 950...2400 MHz frequency
Connections - Terminals	Screw terminals
Material Of Visible Parts	Thermoplastic ABS-UV stabilised
Kind Of Terminals	Glossy
Marking	With imprint
Installation	Flush
Fixing Mode	Claws, span of claws working range: 55...70 mm Screws
Height	70 mm
Width	64 mm
Depth	40 mm
Depth Of Visual Part	17.4 mm
Net Weight	0.10835 kg

Environment

Conformity Mark	CE
------------------------	----

Ip Degree Of Protection	IP20
--------------------------------	------

Packing Units

Unit Type Of Package 1	PCE
-------------------------------	-----

Number Of Units In Package 1	1
-------------------------------------	---

Package 1 Height	4.000 cm
-------------------------	----------

Package 1 Width	6.500 cm
------------------------	----------

Package 1 Length	7.000 cm
-------------------------	----------

Package 1 Weight	108.900 g
-------------------------	-----------

Unit Type Of Package 2	BB1
-------------------------------	-----

Number Of Units In Package 2	10
-------------------------------------	----

Package 2 Height	9.500 cm
-------------------------	----------

Package 2 Width	18.500 cm
------------------------	-----------

Package 2 Length	27.500 cm
-------------------------	-----------

Package 2 Weight	1.094 kg
-------------------------	----------

Unit Type Of Package 3	S04
-------------------------------	-----

Number Of Units In Package 3	120
-------------------------------------	-----

Package 3 Height	30.000 cm
-------------------------	-----------

Package 3 Width	40.000 cm
------------------------	-----------

Package 3 Length	60.000 cm
-------------------------	-----------

Package 3 Weight	13.732 kg
-------------------------	-----------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



RoHS/REACH

Well-being performance

✓ Reach Free Of Svhc

✓ Toxic Heavy Metal Free

✓ Mercury Free

✓ Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation

[REACH Declaration](#)

Eu Rohs Directive

Compliant

[EU RoHS Declaration](#)

China Rohs Regulation

[China RoHS declaration](#)

Pro-active China RoHS declaration (out of China RoHS legal scope)

Weee

The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Circularity Profile

No need of specific recycling operations
