# Product data sheet

Specifications

Sedna - double telephone outlet - RJ11 without frame titanium

SDN4201168

⊘ Discontinued on: Dec 30, 2023

⊘ **Discontinued**

Main

Range	Sedna
Function	Telephone socket
Delivery Form	Without frame
Telephone Connector Type	2 x RJ11
Cover Plate Color	Titanium

Complementary

Wire Structure	Flexible Rigid
Kind Of Terminals	Screw terminals
Material Of Visible Parts	Thermoplastic ABS-UV stabilised
Surface Finish	Glossy
Installation	Flush
Fixing Mode	Claws, span of claws working range: 51…68 mm Screws
Height	71 mm
Width	71 mm
Depth	36 mm
Depth Of Visual Part	14.5 mm
Net Weight	0.06045 kg

Environment

Ip Degree Of Protection	IP20

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	7.1 cm
Package 1 Width	7.1 cm
Package 1 Length	3.6 cm
Package 1 Weight	60.45 g
Unit Type Of Package 2	S04

Number Of Units In Package 2	120
Package 2 Height	30 cm
Package 2 Width	40 cm
Package 2 Length	60 cm
Package 2 Weight	9.395 kg

Contractual warranty

Warranty	18 months

Life Is On | Schneider Electric

Sustainability

Green Premium^{TM} label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium ⟩

Guide to assess a product's sustainability ⟩

RoHS/REACh

Well-being performance

✓ Reach Free Of Svhc

✓ Toxic Heavy Metal Free

✓ Mercury Free

✓ Rohs Exemption Information   Yes

Certifications & Standards

Reach Regulation   REACh Declaration

Eu Rohs Directive   Compliant

EU RoHS Declaration

China Rohs Regulation   China RoHS declaration

Pro-active China RoHS declaration (out of China RoHS legal scope)

Weee   The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Circularity Profile   No need of specific recycling operations