

Sedna plate, single; KRONE, cat5e, cat6 UTP (wo connector), alum

SDN4300360

! Discontinued on: Dec 30, 2023

(!) Discontinued

Main

Range Name	Sedna	
Function	Central plate	
Delivery Form	Without frame	
Socket Number	1	
Product Compatibility	Krone modular jack Cat. 5e UTP	

Complementary

Fixing Mode	Claws, span of claws working range: 5180 mm Screws
Height	71 mm
Width	71 mm
Depth	36 mm
Depth Of Visual Part	7 mm
Net Weight	0.07453 kg
Material Of Visible Parts	Thermoplastic ABS-UV stabilised
Surface Finish	Glossy

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.600 cm
Package 1 Width	7.100 cm
Package 1 Length	7.100 cm
Package 1 Weight	75.000 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	10
Package 2 Height	9.400 cm
Package 2 Width	18.500 cm
Package 2 Length	27.500 cm
Package 2 Weight	1070.000 kg

Unit Type Of Package 3	S04
Number Of Units In Package 3	120
Package 3 Height	30.000 cm
Package 3 Width	40.000 cm
Package 3 Length	60.000 cm
Package 3 Weight	11085.000 kg

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance

Circularity Profile	No need of specific recycling operations
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
	EU RoHS Declaration
Eu Rohs Directive	Compliant
Reach Regulation	REACh Declaration
Rohs Exemption Information	Yes
Mercury Free	
Toxic Heavy Metal Free	
Reach Free Of Svhc	