Product data sheet

Specifications

LexCom Home - Performance - active central processing unit

VDIR528010

⚠ **Discontinued on:** May 17, 2018

⚠ **Discontinued**

Main

Range	LexCom Home
Product Name	LexCom Home Performance
Product Type	Active central processing unit

Complementary

Connector Type	1 port(s) jack for input 2 port(s) RJ11 for input 1 port(s) RJ31 for input 8 port(s) RJ45 - cable shielding type: U/FTP for input 1 port(s) F connectors for CATV data/output 1 port(s) F connectors for CATV RF/input 1 port(s) F connectors for CATV test/output 8 port(s) IDC connector - cable shielding type: S/FTP
Tv Connector	Input: F connectors(CATV RF) Output: F connectors(CATV Data) Output: F connectors(CATV Test)
Connections - Terminals	LSA punch down
Av Input Level	60...77 dBµV
Av Output Level	8 x 110 dBµV (Din B) 8 x 93 dBµV (CSO/CTB)
Bandwidth	47…862 MHz
Maximum Insertion Loss	10 dB (RF input to TEST) 4 dB (DATA to RF input) 4 dB (RF input to DATA)
Power Consumption In W	14 W
Input Voltage	12 V DC
Input Impedance	75 Ohm
Flatness	-2…2 dB
Minimum Return Loss	10 dB
Height	90 mm
Width	300 mm
Depth	250 mm
Net Weight	0.5 kg

Environment

Standards	CE EN 50083-2

Life Is On | Schneider Electric

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	6.5 cm
Package 1 Width	41 cm
Package 1 Length	30 cm
Package 1 Weight	1.91 kg

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium 〉

Guide to assess a product's sustainability 〉

Eu Rohs Directive	Compliant
	EU RoHS Declaration