

# Product data sheet

Specifications



## LexCom Home Performance - tele connecting cord RJ11 UTP - black, 0.3 m

VDIR541101

⚠ Discontinued on: Sep 30, 2022

⚠ Discontinued

### Main

Range	LexCom Home
Product Name	LexCom Home Performance
Product Type	Tele connecting cord

### Complementary

Cable Shielding Type	UTP
Cable End 1	1 x RJ11
Cable End 2	1 x RJ11
Insulation Resistance	> 500 MOhm at 100 V DC
Minimum Number Of Matings	500 cycles
Number Of Cables	1 stranded cable(s), AWG 28
Wire Insulation Material	PVC
Colour Tint	Black
Cable Length	0.3 m

### Environment

Standards	AS/ACIF S008 - 2001
-----------	---------------------

### Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	0.2 cm
Package 1 Width	8.0 cm
Package 1 Length	14.0 cm
Package 1 Weight	10.0 g
Unit Type Of Package 2	S02
Number Of Units In Package 2	50
Package 2 Height	15.0 cm
Package 2 Width	30.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	803.0 g

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

# Contractual warranty

Warranty	18 months
----------	-----------

# Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency

## Well-being performance

 Reach Free Of Svhc

Reach Regulation

[REACH Declaration](#)

Eu Rohs Directive

Not applicable, out of EU RoHS legal scope

Environmental Disclosure

[Product Environmental Profile](#)

Circularity Profile

No need of specific recycling operations