

Product data sheet

Specifications



Phase Concordance unit, Easergy VPIS, IEC, for VPIS V2 and VPIS V3

VPI62421

Main

Range Of Product	VPIS
Product Or Component Type	Phase comparator

Complementary

Standards	IEC 62271-200
Height	110 mm
Width	68 mm
Depth	30 mm
Net Weight	0.128 kg
Product Compatibility	VPIS V2 VPIS V3
Network Frequency	50/60 Hz

Environment

Ip Degree Of Protection	IP2X
Ambient Air Temperature For Operation	-25...70 °C

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	8.400 cm
Package 1 Width	2.600 cm
Package 1 Length	10.900 cm
Package 1 Weight	125.000 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	6
Package 2 Height	9.000 cm
Package 2 Width	9.000 cm
Package 2 Length	26.600 cm
Package 2 Weight	809.000 g
Unit Type Of Package 3	S03
Number Of Units In Package 3	72

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 3 Height	30.000 cm
Package 3 Width	30.000 cm
Package 3 Length	40.000 cm
Package 3 Weight	10.132 kg

Sustainability

Green Premium™ label is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product’s sustainability >](#)



Transparency RoHS/REACH

Well-being performance



Mercury Free



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACH Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information